

### **Technical Data Sheet**

## **Evencure BCP**

**Bituminous Curing Compound** 

## **Description**

Evencure BCP is a blend of bitumen and hydrocarbon resins emulsified in water.

The impervious film formed by Evencure BCP prevents excessive water evaporation, promotes efficient cement hydration, minimizes shrinkage whilst increasing durability of the concrete surface.

Evencure BCP conforms to AS3799.

## **Application**

Evencure BCP is best applied with an airless spray but can be applied by brush, roller, or broom. It is imperative that application rate is achieved by whatever means.

#### **APPLICATION RATE:-**

Curing 4.5<sup>2</sup>m per litre (according to AS3799 standards)

IT IS HIGHLY RECOMMENDED THAT APPLICATORS TEST ANY EVENRANGE SYSTEM BEFORE APPLICATION TO ENSURE COMPABILITY AS EACH SURFACE PROFILE VARIES WITH INDIVIDUAL CONDITIONS.

Apply Evencure BCP, undiluted, to the concrete as soon as the bleed water has disappeared, and the concrete has hardened sufficiently as not to be marked by the application process.

If the concrete surface is required to be trafficable **prior** to having an overlay placed, then sand or fine stone can be placed over the Evencure BCP to increase the abrasion resistance of the coating.

NOTE: Evencure BCP is NOT a "tack coat". Where required a "tack coat" should still be applied.

Available in 200lt and 1000lt containers.

# **Special Features**

Due to its unique formulation and blend of resins and hydrocarbons, Evencure BCP not only cures concrete but is also acts as a primer coat for asphalt and bitumen overlays. It is ideally suited to bridge decks and road construction where a concrete curing compound and bitumen primer can be applied in one application.

### **Features**

- Suitable for sealing interior and exterior freshly laid concrete surfaces
- Contains no wax
- Cationic emulsion
- Ideal primer coat for asphalt or bitumen overlays on concrete roads, bridges, or parking decks
- Clean equipment with water

## Contact

EVENRANGE PTY LTD 12 Frankston Gardens Drive CARRUM DOWNS. Vic 3201 Aust Phone 03 9782 3233

www.evenrange.com.au ABN 92 062 754 545

This Technical Data Sheet (TDS) summarises our best knowledge of the product, including how to use and apply the product based on the information available at the time. You should read this TDS carefully and consider the information in the context of how the product will be used, including in conjunction with any other product and the type of surfaces, and the way, the product will be applied. Our responsibility for products sold is subject to our standard terms and conditions of sale. Evenrange Pty Ltd does not accept any liability either directly or indirectly for any loss suffered in connection with the use or application of the product whether in accordance with any advice, specification, recommendation, or information given.