

MATRIX FC WHITE

Revision date 21-Dec-2022 **Revision Number** 1.01 Supersedes Date: 22-Sep-2021

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name MATRIX FC WHITE

Product Code(s)

30800627

30800627; 30801126; 30801127; 30840101; 30840104

Other means of identification

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Adhesives and/or sealants

Uses advised against No information available

Details of manufacturer or importer

Manufacturer <u>Supplier</u>

Bostik Australia Pty Ltd Bostik Australia Pty Ltd 51-71 High Street, 51-71 High Street, Thomastown Victoria Thomastown Victoria

Australia Australia

Tel: 613 9279-9333 Tel: 613 9279-9333 Fax: 613 9279-9342 Fax: 613 9279-9342

ABN: 79 003 893 838 ABN: 79 003 893 838

au-bostik-sds@bostik.com E-mail address

Emergency telephone number

24-hr Emergency: 1800 033 111 Emergency telephone number

Section 2: Hazard(s) identification

GHS Classification

Skin corrosion/irritation	Category 2 - (H315)
Respiratory sensitization	Category 1 - (H334)

Label elements

Health hazard



Australia - EN Page 1/11

MATRIX FC WHITERevision date21-Dec-2022Revision Number1.01Supersedes Date:22-Sep-2021

Signal word

DANGER

Hazard statements

H315 - Causes skin irritation

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Reacts violently with water

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves

Avoid breathing dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

IF ON SKIN: Wash with plenty of water and soap

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

If experiencing respiratory symptoms: Call a doctor

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

May be harmful in contact with skin.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

Label requirements in accordance with SUSMP

POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No	Weight-%
Xylenes (o-, m-, p- isomers)	1330-20-7	0 - <10
4,4'-Methylenediphenyl diisocyanate	101-68-8	0 - <10
Benzenesulfonyl isocyanate, 4-methyl-	4083-64-1	< 1%
Glycidoxypropyltrimethoxysilane	2530-83-8	0 - <10
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation May cause allergic respiratory reaction. If breathing has stopped, give artificial

Australia - EN Page 2 / 11

MATRIX FC WHITE Revision date 21-Dec-2022 Revision Number 1.01 Supersedes Date: 22-Sep-2021

respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical

attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a physician.

Skin contact May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see

a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion May produce an allergic reaction. Do NOT induce vomiting. Rinse mouth. Never give

anything by mouth to an unconscious person. Get immediate medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/

or wheezing. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when

the product is exposed to moisture or water. May cause sensitization in susceptible

persons. Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by inhalation.

Hazardous combustion products Carbon oxides. Carbon dioxide (CO2). Nitrogen oxides (NOx). Hydrogen cyanide.

Isocyanates. Hydrochloric Acid.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Australia - EN Page 3 / 11

MATRIX FC WHITE Revision date 21-Dec-2022
Revision Number 1.01 Supersedes Date: 22-Sep-2021

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when

using this product. Take off contaminated clothing and wash before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Do not eat, drink or smoke when using this product. Remove and wash contaminated

clothing and gloves, including the inside, before re-use.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

Recommended storage

temperature

Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

This material is a scheduled poison and must be stored, maintained and used in accordance with the relevant regulations

Section 8: Exposure controls and personal protection

Control parameters

Exposure LimitsThis product contains titanium dioxide in a non-respirable form. Inhalation of titanium

dioxide is unlikely to occur from exposure to this product.

Chemical name	Australia
Xylenes (o-, m-, p- isomers)	TWA: 80 ppm
1330-20-7	TWA: 350 mg/m ³
	STEL: 150 ppm
	STEL: 655 mg/m ³
4,4'-Methylenediphenyl diisocyanate	TWA: 0.02 mg/m ³
101-68-8	STEL: 0.07 mg/m ³
Benzenesulfonyl isocyanate, 4-methyl-	TWA: 0.02 mg/m ³
4083-64-1	STEL: 0.07 mg/m ³

OEL as published by Safe Work Australia

Biological occupational exposure limits

Australia - EN Page 4 / 11

MATRIX FC WHITE Revision date 21-Dec-2022 Revision Number 1.01 Supersedes Date: 22-Sep-2021

Appropriate engineering controls

Engineering controls Showers, eyewash stations, and ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Hand protection Wear suitable gloves. Impervious gloves.

Respiratory protection Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases

and vapors filter conforming to EN 14387.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid
Appearance Paste
Color White
Odor Solvent

Odor threshold No information available

Property Values Remarks • Method

pH No data available
pH (as aqueous solution) No data available
Melting point / freezing point
Initial boiling point and boiling
No data available
No data available

range

Flash point No data available Evaporation rate No data available

Flammability Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableRelative vapor densityNo data availableRelative density1.20 - 1.26

Water solubility Insoluble in water Product cures with

moisture

Solubility(ies) No data available Partition coefficient No data available **Autoignition temperature** No data available No data available **Decomposition temperature** Kinematic viscosity No data available Dynamic viscosity No data available **Explosive properties** No information available **Oxidizing properties** No information available

Other information

Solid content (%) No information available Pensity No information available

VOC content 78 g/L

Australia - EN Page 5 / 11

MATRIX FC WHITERevision date21-Dec-2022Revision Number1.01Supersedes Date:22-Sep-2021

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization Hazardous polymerization may occur.

Conditions to avoid

Conditions to avoidNone known based on information supplied.

Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition

products

Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Hydrogen cyanide. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause sensitization in

susceptible persons. (based on components). May cause irritation of respiratory tract.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Specific test data for the substance or mixture is not available. Repeated or prolonged

skin contact may cause allergic reactions with susceptible persons. (based on

components). Causes skin irritation.

Ingestion Specific test data for the substance or mixture is not available. May cause additional

affects as listed under "Inhalation". Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea.

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing,

tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Redness. May cause redness and tearing of the

eyes.

Numerical measures of toxicity - Product Information

Australia - EN Page 6 / 11

MATRIX FC WHITE Revision date 21-Dec-2022
Revision Number 1.01 Supersedes Date: 22-Sep-2021

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

ATEmix (dermal) 4,908.60 mg/kg

ATEmix (inhalation-vapor) 69.70 ATEmix (inhalation-dust/mist) 19.60 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Xylenes (o-, m-, p- isomers)	=3500 mg/kg (Rattus)	> 1700 mg/kg (Oryctolagus	= 11 mg/L (ATE)
		cuniculus) > 4350 mg/kg	
		(Oryctolagus cuniculus)	
4,4'-Methylenediphenyl	=31600 mg/kg (Rattus)	LD 50 > 9400 mg/kg	=1.5 mg/L (Rattus) 4 h
diisocyanate	= 9200 mg/kg (Rattus)	(Oryctolagus cuniculus)	-
		OECD 402	
Benzenesulfonyl isocyanate,	=2234 mg/kg (Rattus)	LD 50 (Rattus) > 2000 mg/kg	>640 ppm (Rattus) 1 h
4-methyl-		OECD 402	
Glycidoxypropyltrimethoxysilan	=8025 mg/kg (Rattus)	= 4250 mg/kg (Oryctolagus	>5.3 mg/L (Rattus) 4 h
е		cuniculus)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation No information available.

Component Information					
4,4'-Methylenediphenyl	diisocyanate (101	-68-8)			
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye	0.1 mL	24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Glycidoxypropyltrimetho	xysilane (2530-83	3-8)			
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Eye Damage
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Component Information				
Xylenes (o-, m-, p- isomers) (1330-20-7)				
Method	Species	Exposure route	Results	
OECD Test No. 429: Skin	Mouse	Dermal	No sensitization responses	
Sensitisation: Local Lymph Node			were observed	
Assay				

4,4'-Methylenediphenyl diisocyanate (101-68-8)			
Method	Species	Exposure route	Results
OECD GD 39	Rat	Inhalation	Sensitizing

Glycidoxypropyltrimethoxysilane (2530-83-8)				
Method	Species	Exposure route	Results	
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitization responses	
Sensitization			were observed	

Australia - EN Page 7 / 11

MATRIX FC WHITERevision date21-Dec-2022Revision Number1.01Supersedes Date:22-Sep-2021

Germ cell mutagenicity No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Xylenes (o-, m-, p- isomers) 1330-20-7			Group 3
4,4'-Methylenediphenyl diisocyanate 101-68-8	Carc. 2	Carc. 2	Group 3

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Component Information				
4,4'-Methylenediphenyl diisocyanate (101-68-8)				
Method	Species	Results		
OECD Test No. 453: Combined Chronic	Rat	Limited evidence of a carcinogenic		
Toxicity/Carcinogenicity Studies		effect		

Reproductive toxicity No information available.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Xylenes (o-, m-, p-	-	LC50 96 h 2.6 mg/L	EC50 = 0.0084 mg/L 24	EC50 48 h = 3.4 mg/L
isomers)		(Oncorhynchus mykiss)	h	(Dappnia magna)
1330-20-7		(OECD 203)		-
4,4'-Methylenediphenyl	ErC50 (72h) >1640 mg/L	>1000 mg/l (Danio rerio)	-	EC50 (24H) >1000 mg/L
diisocyanate	Algae (scenedesmus			Daphnia magna
101-68-8	subspicatus) (OECD			-
	201)			
Glycidoxypropyltrimetho	EC50 (96hr): 350 mg/l	LC50 (96h) = 55 mg/L	-	EC50 (48h) =473 mg/L
xysilane	Pseudokirchneriella	(Cyprinus carpio) OECD		Daphnia magna
2530-83-8	subcapitata	203		

Persistence and degradability

Persistence and degradability No information available.

Australia - EN Page 8 / 11

MATRIX FC WHITE Revision Number 1.01

Revision Number 1.01 Supersedes Date: 22-Sep-2021

Revision date 21-Dec-2022

Component Information					
Xylenes (o-, m-, p- isomers) (1330-20-7)					
Method	Exposure time	Value	Results		
OECD Test No. 301F: Ready	28 days	biodegradation	87.8 % Readily biodegradable		
Biodegradability: Manometric	-	_			
Respirometry Test (TG 301 F)					

4,4'-Methylenediphenyl diisocyanate (101-68-8)					
Method	Exposure time	Value	Results		
OECD Test No. 302C: Inherent	28 days	0% biodegradation	Not readily biodegradable		
Biodegradability: Modified MITI Test	-				
(II)					

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient	
Xylenes (o-, m-, p- isomers) 1330-20-7	3.15	
4,4'-Methylenediphenyl diisocyanate 101-68-8	4.51	
Benzenesulfonyl isocyanate, 4-methyl- 4083-64-1	0.6	

Mobility

Mobility in soilNo information available.MobilityNo information available.

Other adverse effects

Other adverse effects No information available.

Endocrine Disruptor Information

Section 13: Disposal considerations

Disposal methods

Waste from residues/unused products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG Not regulated

IMDG Not regulated

Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Australia - EN Page 9 / 11

MATRIX FC WHITE Revision date 21-Dec-2022 **Revision Number** 1.01 Supersedes Date: 22-Sep-2021

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number**

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Xylenes (o-, m-, p- isomers)	10 tonne/yr Threshold category 1 including individual or mixed
1330-20-7	isomers
	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total
4,4'-Methylenediphenyl diisocyanate	10 tonne/yr Threshold category 1
101-68-8	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

International Inventories

Listed AIIC **NZIoC** Listed **ENCS** Not Listed **IECSC** Not Listed **KECL** Not Listed **PICCS** Not Listed

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Australia - EN Page 10/11

MATRIX FC WHITERevision date21-Dec-2022Revision Number1.01Supersedes Date:22-Sep-2021

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 21-Dec-2022

Revision Note

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 11 / 11

^{***}Indicates updated data since last publication.